



Jess L. Greenwood, P.E.
Public Works Director – County Engineer

2140 Pioneer Road
Red Wing, MN 55066
Office: (651) 385.3025

April 28, 2026

**REQUEST FOR QUOTE
2026 Aggregate Shouldering**

Goodhue County is requesting quotes for aggregate shouldering meeting the following parameters and the attached special provisions.

Work quoted, if approved, may begin on July 6, 2026 and shall be completed by August 28, 2026. See the special provisions for more information.

Please provide a unit price for the items listed below which should include all costs associated with this work.

Contact Cory Wersal (651-385-3051) at Goodhue County with any questions related to this RFQ. Completed quotes shall be submitted by email to GCPW_Bidding@co.goodhue.mn.us by 12:00 PM, Friday, May 15, 2026.

Schedule of Prices

Item Number	Description	Units	Quantity	Unit Price	Total Price
2221.609	SHOULDER BASE AGGREGATE	TON	3000		

Grand Total: _____

Submitted by: _____
(name)

Date: _____

(company)

Quote authorized by: _____
Jess Greenwood, P.E. - Goodhue County Public Works Director

Date: _____

**GOODHUE COUNTY PUBLIC WORKS
AGGREGATE SURFACING SPECIAL PROVISIONS**

S-1 GOVERNING SPECIFICATIONS

The 2025 Edition of the Minnesota Department of Transportation “Standard Specifications for Construction” shall apply to this project except as modified in the following Special Provisions, and except as further modified by corrections and changes on file with the County.

S-2 (1806) DETERMINATION AND EXTENSION OF CONTRACT TIME

The Contract time will be determined in accordance with the provisions of MnDOT 1806 and the following:

Contract time will begin on July 6, 2026 and be completed on or before August 28, 2026. All work on this project, once begun, shall be completed in **5 working days**.

S-3 (1903) COMPENSATION FOR ALTERED QUANTITIES

The County reserves the right to increase or decrease the estimated quantities without any change in the unit prices. Final payment will be made based upon actual quantities verified by County staff.

S-4 (2051) MAINTENANCE AND RESTORATION OF HAUL ROADS

The bidder’s attention is directed to the Provisions of 2051, 1515, and 1404, pertaining to haul roads.

Since these roads may not be under the jurisdiction of the contracting agency, the Contractor should be aware that maintenance and restoration is generally expected by the appropriate road authorities.

The County will require the Contractor to contact and obtain written approval from the proper jurisdictional agency (Township, County, or City) for haul roads to be used for this work. This must be accomplished through documentation submitted to the Engineer prior to the use of any haul road. A standard form for this procedure may be obtained from the office of the County Engineer.

Maintenance and restoration of haul roads will be considered incidental to the contract items, and no other payment will be made therefore.

S-5 (2221) SHOULDER BASE AGGREGATE

Aggregate shouldering shall be constructed in accordance with the provisions of MnDOT 2221 except as modified below:

The Contractor has the option to provide Class 1 or Class 5 aggregate material. The Contractor shall notify the Engineer at the preconstruction meeting, and/or prior to quality testing, which class of material will be provided.

Compaction shall be achieved by the “Quality Compaction Method” described in MnDOT 2211.3.D.2.b.

S-6 (2563) TRAFFIC CONTROL

Use of highways by traffic will be permitted as provided in Mn/DOT 1404. Traffic control shall be provided in accordance with the latest MN MUTCD and the latest version of the Minnesota Temporary Traffic Control Field Manual.

It is expected that the contractor provide, at minimum, flag persons on both sides of the operation (with working 2-way radios), the appropriate signage for the flagging operation, and a pilot car with signage.

Traffic Control shall be considered incidental to all items contained in this Proposal and no direct compensation will be made.

S-7 (3138) AGGREGATE FOR SURFACE AND BASE COURSES

Provide aggregate material meeting the requirements of MnDOT 3138 except as modified below:

Provide 100% virgin crushed carbonate quarry rock (limestone or dolomite). The maximum insoluble residue for the portion of quarried carbonate aggregates passing the #200 sieve is modified to 15%.

**Gradation Requirements
(% passing)**

Sieve Size	Class 1	Class 5
1 inch	-	100
3/4 inch	100	70-100
3/8 inch	65 - 95	45 - 90
No. 4	40 - 85	30 - 80
No. 10	25 - 70	15 - 65
No. 40	10 - 45	7 - 35
No. 200	8.0 - 15.0	3.0 - 12.0

GOODHUE COUNTY

2026 SHOULDERING LOCATIONS

